

JOURNAL OF SOUTH AFRICAN BOTANY

VOLUME 41

1975

INDEX OF PLANT NAMES

Note: Plant names appearing in tables or lists are not included in this index. Page references to new taxa are printed in bold type. An asterisk indicates an illustration.

	PAGE		PAGE
<i>Acacia ataxacantha</i> DC.	30	<i>C. petersiana</i> Bolle	30
<i>Acalypha moggii</i> Compton	48	<i>Cassia plumosa</i> (E.Mey.) Vogel *134, *137,	150
<i>Acmadenia fruticosa</i> Williams	243 , *246	<i>C. plumosa</i> (E.Mey.) Vogel var. <i>erecta</i> Schorn and Gordon-Gray	*140 , 153
<i>A. tetracarpellata</i> Williams	247 , *250	<i>C. plumosa</i> (E.Mey.) Vogel var. <i>plumosa</i>	*140
<i>Agathosma rudolphii</i> Williams	239 , *240	<i>C. quarrei</i> (Ghesq.) Steyaert *135, *137, 148	
<i>Albica canadensis</i>	70	<i>C. tomentosa</i> L.	30
<i>A. patersonii</i>	70	<i>Combretum edwardsii</i> Exell	39
<i>Andreaea nitida</i> Hook.f. & Wils.	37	<i>Cordyla africana</i> Lour.	30
<i>A. subnervis</i> Hook.f. & Wils.	37	<i>Crassula alba</i> Forsk. var. <i>parvisepala</i> (Schonl.) Toelken	93
<i>A. subulata</i> Harv.	37	<i>C. alpestris</i> Thunb. ssp. <i>massonii</i> (Britt. & Bak.f.) Toelken	93
<i>Androsiphon capense</i>	82	<i>C. ammophila</i> Toelken	94
<i>Asparagus virgatus</i>	82	<i>C. arborescens</i> (Mill.) Willd. ssp. <i>undulatifolia</i> Toelken	95
		<i>C. atropurpurea</i> (Haw.) Dietr.	95
<i>Bacillus subtilis</i> Cohn	189	<i>C. atropurpurea</i> (Haw.) Dietr. var. <i>anomala</i> (Schonl. & Bak.f.) Toelken	96
<i>Baphia massaiensis</i> Taub.ssp. <i>obovata</i> (Schinz.) Brummit	30	<i>C. atropurpurea</i> (Haw.) Dietr. var. <i>cultriformis</i> (Friedr.) Toelken	96
<i>Batcheloromyces Marasas, Van Wyk et Knox-Davies</i>	41	<i>C. atropurpurea</i> (Haw.) Dietr. var. <i>purcellii</i> (Schonl.) Toelken	96
<i>B. proteae</i> Marasas, Van Wyk et Knox-Davies	*42 , 43	<i>C. atropurpurea</i> (Haw.) Dietr. var. <i>rubella</i> (Compton) Toelken	96
<i>Bauhinia kirkii</i> Oliv.	30	<i>C. atropurpurea</i> (Haw.) Dietr. var. <i>watermeyeri</i> (Compton) Toelken	96
<i>B. tomentosa</i> L.	30	<i>C. ausensis</i> P.C.Hutch. ssp. <i>giessi</i> (Friedr.) Toelken	96
<i>Bowiea volubilis</i>	70	<i>C. barbata</i> Thunb. ssp. <i>broomii</i> (Schonl.) Toelken	97
<i>Bruguiera gymnorhiza</i> (L.) Lam.	269 , *270	<i>C. brachystachya</i> Toelken	97
<i>Bulbine frutescens</i>	68	<i>C. brevifolia</i> Harv. ssp. <i>psammophila</i> Toelken	98
<i>Burkea africana</i> Hook.	30	<i>C. campestris</i> (Eckl. & Zeyh.) Endl. ex Walp. ssp. <i>pharnaceoides</i> (Fisher & C.A.Mey.) Toelken	99
		<i>C. capensis</i> (L.) Baill. var. <i>albertinae</i> (Schonl.) Toelken	99
<i>Calpurnia aurea</i> (Ait.) Benth. ssp. <i>aurea</i>	30	<i>C. capensis</i> (L.) Baill. var. <i>promontorii</i> (Schonl. & Bak.f.) Toelken	99
<i>Candida albicans</i> (Robin) Berkhout	189	<i>C. capitella</i> Thunb. ssp. <i>capitella</i>	99
<i>Cassia biensis</i> (Steyaert) Mendonca & Torre	*137 , *140 , 144	<i>C. capitella</i> Thunb. ssp. <i>enantiophylla</i> (Bak.f.) Toelken	100
<i>C. capensis</i> Thunb.	*135 , *137 , 139		
<i>C. capensis</i> Thunb. var. <i>capensis</i>	*137 , *140		
<i>C. capensis</i> Thunb. var. <i>flavescens</i>	*140		
<i>C. capensis</i> Thunb. var. <i>keiensis</i>	*140		
<i>C. comosa</i> (E.Mey.) Vogel	134		
<i>C. comosa</i> (E.Mey.) Vogel var. <i>capricornia</i>	*135 , *137		
<i>C. comosa</i> (E.Mey.) Vogel var. <i>comosa</i>	*135 , *137		
<i>C. falcinella</i> Oliv.	146		
<i>C. falcinella</i> Oliv. var. <i>parviflora</i> Steyaert	*135 , *137 , 147		
<i>C. mimosoides</i> L.	*135 , *137 , 154		

	PAGE		PAGE
<i>C. capitella</i> Thunb. ssp. <i>meyeri</i> (Harv.) Toelken	100	<i>C. namaquensis</i> Schonl. & Bak.f. ssp. <i>lutea</i> (Schonl.) Toelken	112
<i>Crassula capitella</i> Thunb. ssp. <i>nodulosa</i> (Schonl.) Toelken	100	<i>Crassula natans</i> Thunb. var. <i>filiformis</i> (Eckl. & Zeyh.) Toelken	112
<i>C. capitella</i> Thunb. ssp. <i>thyrsiflora</i> (Thunb.) Toelken	100	<i>C. nudicaulis</i> L. var. <i>herrei</i> (Friedr.) Toelken	113
<i>C. congesta</i> N.E.Br. ssp. <i>laticephala</i> (Schonl.) Toelken	101	<i>C. nudicaulis</i> L. var. <i>platyphylla</i> (Harv.) Toelken	113
<i>C. corallina</i> Thunb. ssp. <i>macrorrhiza</i> Toelken	101	<i>C. obovata</i> Haw. var. <i>dregana</i> (Harv.) Toelken	113
<i>C. decumbens</i> Thunb. var. <i>brachyphylla</i> (Adamson) Toelken	102	<i>C. pageae</i> Toelken	113
<i>C. elegans</i> Schonl. & Bak.f. ssp. <i>namibensis</i> (Friedr.) Toelken	102	<i>C. pellucida</i> L. ssp. <i>alsinoides</i> (Hook. f.) Toelken	114
<i>C. elsieae</i> Toelken	102	<i>C. pellucida</i> L. ssp. <i>brachypetala</i> (Drège ex Harv.) Toelken	114
<i>C. ericoides</i> Haw. ssp. <i>tortuosa</i> Toelken	103	<i>C. pellucida</i> L. ssp. <i>marginalis</i> (Dryand. in Ait.) Toelken	114
<i>C. exilis</i> Harv. ssp. <i>cooperi</i> (Regel) Toelken	104	<i>C. pellucida</i> L. ssp. <i>pellucida</i>	113
<i>C. exilis</i> Harv. ssp. <i>exilis</i>	104	<i>C. pellucida</i> L. ssp. <i>spongiosa</i> Toelken	114
<i>C. exilis</i> Harv. ssp. <i>sedifolia</i> (N.E.Br.) Toelken	104	<i>C. perfoliata</i> L. var. <i>falcata</i> (Wendl.) Toelken	115
<i>C. expansa</i> Dryand. in Ait. ssp. <i>expansa</i>	104	<i>C. perfoliata</i> L. var. <i>heterotricha</i> (Schinz) Toelken	115
<i>C. expansa</i> Dryand. in Ait. ssp. <i>filicaulis</i> (Haw.) Toelken	105	<i>C. perfoliata</i> L. var. <i>perfoliata</i> Toelken	115
<i>C. expansa</i> Dryand. in Ait. ssp. <i>fragilis</i> (Bak.) Toelken	105	<i>C. pubescens</i> Thunb. ssp. <i>radicans</i> (Haw.) Toelken	115
<i>C. expansa</i> Dryand. in Ait. ssp. <i>peculiaris</i> Toelken	105	<i>C. pubescens</i> Thunb. ssp. <i>rattrayi</i> (Schonl. & Bak.f.) Toelken	116
<i>C. expansa</i> Dryand. in Ait. ssp. <i>pyrifolia</i> (Compton) Toelken	106	<i>C. rupestris</i> Thunb. ssp. <i>commutata</i> (Friedr.) Toelken	116
<i>C. garibina</i> Marl. & Schonl. ssp. <i>glabra</i> Toelken	106	<i>C. rupestris</i> Thunb. ssp. <i>marnierana</i> (Huber & Jacobsen) Toelken	116
<i>C. globularioides</i> Britt. ssp. <i>argyrophylla</i> (Schonl. & Bak.f.) Toelken	106	<i>C. sarcocaulis</i> Eckl. & Zeyh. ssp. <i>rupicola</i> Toelken	116
<i>C. globularioides</i> Britt. ssp. <i>illichiana</i> (Engl.) Toelken	106	<i>C. sarmentosa</i> Harv. var. <i>integrifolia</i> Toelken	117
<i>C. grammanthoides</i> (Schonl.) Toelken	106	<i>C. schimperi</i> Fischer & C.A.Mey. var. <i>lanceolata</i> (Eckl. & Zeyh.) Toelken	117
<i>C. lanuginosa</i> Harv. var. <i>pachystemon</i> (Schonl. & Bak.f.) Toelken	106	<i>C. schimperi</i> Fischer & C.A.Mey. var. <i>schimperi</i>	117
<i>C. latibracteata</i> Toelken	107	<i>C. sebaceous</i> (Eckl. & Zeyh.) Toelken	118
<i>C. mesembryanthoides</i> (Haw.) Dietr. ssp. <i>hispida</i> (Haw.) Toelken	108	<i>C. sediflora</i> (Eckl. & Zeyh.) Endl. ex Walp. var. <i>amatolica</i> (Schonl.) Toelken	118
<i>C. minuta</i> Toelken	108	<i>C. sericea</i> Schonl. var. <i>hottentotta</i> (Marl. & Schonl.) Toelken	118
<i>C. montana</i> Thunb. ssp. <i>quadrangularis</i> (Schonl.) Toelken	109	<i>C. sericea</i> Schonl. var. <i>velutina</i> (Friedr.) Toelken	118
<i>C. multicava</i> Lem. ssp. <i>floribunda</i> Friedr. ex Toelken	109	<i>C. setulosa</i> Harv. var. <i>deminuta</i> (Diels) Toelken	118
<i>C. multiflora</i> Schonl. & Bak.f. ssp. <i>leucantha</i> (Schonl. & Bak.f.) Toelken	110	<i>C. setulosa</i> Harv. var. <i>longiciliata</i> Toelken	119
<i>C. muscosa</i> L. var. <i>muscosa</i>	110	<i>C. southii</i> Schonl. ssp. <i>sphaerocephala</i> Toelken	120
<i>C. muscosa</i> L. var. <i>parvula</i> (Eckl. & Zeyh.) Toelken	111	<i>C. subaphylla</i> (Eckl. & Zeyh.) Harv. var. <i>subaphylla</i>	120
<i>C. muscosa</i> L. var. <i>rigida</i> Toelken	111	<i>C. subaphylla</i> (Eckl. & Zeyh.) Harv. var. <i>virgata</i> (Harv.) Toelken	120
<i>C. muscosa</i> L. var. <i>sinuata</i> Toelken	111	<i>C. subulata</i> L. var. <i>fastigiata</i> (Schonl.) Toelken	121
<i>C. namaquensis</i> Schonl. & Bak.f. ssp. <i>comptonii</i> (Hutch. & Pillans) Toelken	112		

	PAGE		PAGE
<i>C. subulata</i> L. var. <i>hispida</i> (Schonl. & Bak.f.) Toelken	121	<i>L. delicatula</i> Compton	50
<i>Crassula tetragona</i> L. ssp. <i>acutifolia</i> (Lam.) Toelken	121	<i>Lobium multiflorum</i> Lam.	17
<i>C. tetragona</i> L. ssp. <i>connivens</i> (Schonl.) Toelken	121	<i>Lotononis spicata</i> Compton	48
<i>C. tetragona</i> L. ssp. <i>lignescens</i> Toelken	122	<i>Macrostylis cauliflora</i> Williams	183, *185
<i>C. tetragona</i> L. ssp. <i>robusta</i> (Toelken) Toelken	122	<i>Massonia depressa</i>	80
<i>C. tetragona</i> L. ssp. <i>rudis</i> (Schonl. & Bak.f.) Toelken	122	<i>M. echinata</i>	80
<i>C. tetragona</i> L. ssp. <i>tetragona</i>	121	<i>M. pustulata</i>	80
<i>C. thunbergiana</i> Schult. ssp. <i>minutiflora</i> (Schonl. & Bak.f.) Toelken	122	<i>Melianthus major</i> L.	199
<i>C. tomentosa</i> Thunb. var. <i>interrupta</i> (Harv.) Toelken	123	<i>Mycosphaerella jonkershoekensis</i>	234
<i>C. tuberella</i> Toelken	123	<i>Neobakeria angustifolia</i>	80
<i>Daubenya aurea</i>	80	<i>Neopatersonia uitenhagensis</i>	82
<i>Dicliptera divaricata</i> Compton	49	<i>Ornithogalum cerasianum</i>	78
<i>Diosma aristata</i> Williams	180, *182	<i>O. conicum</i>	78
<i>D. awilana</i> Williams	255, *257	<i>O. maculatum</i>	78
<i>D. demissa</i> Williams	261, *264, *265	<i>O. miniatum</i>	78
<i>D. echinulata</i> Williams	265, *268	<i>O. thyrsoides</i>	78
<i>D. pilosa</i> Williams	173, *176	<i>Orothamnus zeyheri</i> Pappe	87
<i>D. prama</i> Williams	250, *254	<i>Pectinaria saxatilis</i> N.E.Br.	*165
<i>D. rourkei</i> Williams	176, *179	<i>P. stayneri</i> M.B. Bayer	*164, 166
<i>D. sabulosa</i> Williams	258, *261	<i>Phleum pratense</i> L.	17
<i>Dipcadi ciliare</i>	74	<i>Polyxena ensifolia</i>	82
<i>D. viride</i>	74	<i>Protea compacta</i> R.Br.	63, 225
<i>Drimia anomala</i>	70	<i>P. cynaroides</i> L.	41
<i>D. media</i>	70	<i>P. foliosa</i> Rourke	54, *55
<i>Duthiastrum</i> De Vos	91	<i>P. laetans</i> L.E. Davidson	207, *209
<i>D. linifolium</i> (Phill.) De Vos	91	<i>P. tenax</i> (Salisb.) R.Br.	53, *57
<i>Entada spicata</i> (E.Mey.) Druce	30	<i>Pseudogaltonia clavata</i>	78
<i>Eragrostis curvula</i> (Schrud.)	17	<i>Quisqualis parviflora</i> Gerr.	40
<i>Erica intervallaris</i> Salisbury var. <i>trifolia</i> H. A. Baker	130	<i>Rhadamanthus platyphyllus</i>	74
<i>E. langebergensis</i> H.A. Baker	126	<i>Rhizobium</i>	29
<i>E. omninojabra</i> H.A. Baker	127	<i>Salmonella typhosa</i> Zopf.	189
<i>E. pillarkopensis</i> H.A. Baker	128	<i>Schizobasis intricata</i>	68
<i>E. roringbergensis</i> H.A. Baker	125	<i>Schotia brachypetala</i> Sond.	30
<i>E. winteri</i> H.A. Baker	129	<i>Scilla firmifolia</i>	76
<i>Escherichia coli</i> Migula	189	<i>S. natalensis</i>	76
<i>Euchaetis longicornis</i> Williams	170, *173	<i>S. nervosa</i>	76
<i>E. albertiniana</i> Williams	167, *170	<i>Staphylococcus aureus</i> Rosenbach	189
<i>E. tricarpeolata</i> Williams	241, *243	<i>Strelitzia</i> Ait.	211
<i>Eucomis autumnalis</i> var. <i>clavata</i>	76	<i>S. juncea</i>	*, *12, 212
<i>Galtonia princeps</i>	70	<i>S. parvifolia</i> Ait.	1
<i>Hyacinthus corymbosus</i>	82	<i>S. reginae</i> Ait.	1, *5, *12, 212
<i>Kalanchoe alticola</i> Compton	47	<i>Teratosphaeria proteae-arboreae</i>	232
<i>Lachenalia monophylla</i>	78	<i>Urginea basutica</i>	72
<i>Ledebouria floribunda</i>	76	<i>U. delagoensis</i>	72
<i>Litanthus pusillus</i>	74	<i>U. fragrans</i>	72
<i>Lobelia coddii</i> Compton	49	<i>U. marginata</i>	72
		<i>U. modesta</i>	72
		<i>U. multisetosa</i>	72
		<i>U. pusilla</i>	72
		<i>U. sanguinea</i>	72
		<i>Virgilia divaricata</i> R.S. Adamson	30
		<i>Whiteheadia bifolia</i>	80